



HIV PrEP Drug Chart

*generic version available

E experimental

Nucleoside/Nucleotide Reverse Transcriptase Inhibitors (NRTIs)

DRUG	ADULT DOSING	DOSING INFO
Truvada (tenofovir disoproxil fumarate + emtricitabine)	One tablet once a day. Each tablet contains 300 mg tenofovir disoproxil fumarate + 200 mg emtricitabine.	Take with or without food.
Descovy (tenofovir alafenamide + emtricitabine)	One tablet once a day. Each tablet contains 200mg emtricitabine + 25mg tenofovir alafenamide fumarate (TAF).	Take with or without food.

Integrase Inhibitors

DRUG	ADULT DOSING	DOSING INFO
Apretude (cabotegravir)	Apretude is initiated with two 600 mg injections given one month apart for the first two months. After the second initiation injection, injections are given every two months. Alternatively, oral cabotegravir (Vocabria) may be taken for four weeks before the injections.	Apretude is given as a single injection in the buttocks administered by a health care worker every other month.

DRUG [Truvada \(tenofovir disoproxil fumarate + emtricitabine\)](#)

ADULT DOSING One tablet once a day. Each tablet contains 300 mg tenofovir disoproxil fumarate + 200 mg emtricitabine.

DOSING INFO Take with or without food.

DRUG [Descovy \(tenofovir alafenamide + emtricitabine\)](#)

ADULT DOSING One tablet once a day. Each tablet contains 200mg emtricitabine + 25mg tenofovir alafenamide fumarate (TAF).

DOSING INFO Take with or without food.

DRUG [Apretude \(cabotegravir\)](#)

DRUG Apretude (cabotegravir)

ADULT DOSING Apretude is initiated with two 600 mg injections given one month apart for the first two months. After the second initiation injection, injections are given every two months. Alternatively, oral cabotegravir (Vocabria) may be taken for four weeks before the injections.

DOSING INFO Apretude is given as a single injection in the buttocks administered by a health care worker every other month.

© 2026 Smart + Strong All Rights Reserved.

http://beta.docker.poz.com/drug_charts/hiv-prep-drug-chart